

## AMENDMENTS TO THE CLAIMS

The following claim listing is to replace all previous claim listings. Amendments to the claims are illustrated through strikethrough (for deleted matter) and underlining (for added matter).

### CLAIM LISTING

Claims	1-12	(cancelled)
--------	------	-------------

13. (original): A method for processing a raw data stream generated by a financial product provider and carrying a plurality of raw data objects containing information related to financial product offerings and subject to periodic updates, the method comprising the steps of:

receiving a raw data object carried on a raw data stream input; determining an object type of the raw data object; generating a formatted data object based on the contents of the raw data object by applying a set of formatting rules selected in accordance with the determined object type;

determining if a prior version of the formatted data object is present in an object storage pool;

if a prior version is present in the object storage pool:

determining a data differential between the formatted data object and the prior version;

updating the prior version of the formatted data object to correspond with the generated formatted data object; and



1 data object is present in the object storage pool and in response to a negative  
2 determination: (a) provide the formatted data object to subscriber processes, and  
3 (b) store the formatted data object in the object storage pool. otherwise, in  
4 response to a negative determination: (a) update the prior version of the formatted  
5 data object to correspond with the generated formatted data object, (b) identify a  
6 data differential between the formatted data object and the prior version, and (c)  
7 broadcast the data differential on an output broadcast data channel.

8  
9 16. (original): The system of claim 15, wherein the information manager is further  
10 configured to: associate a respective sequence number with formatted data objects  
11 stored in the object storage pool; increment the respective sequence number during  
12 an update to the formatted data object in the storage pool; and broadcast the  
13 respective sequence number with the data differential.

14  
15 17. (original): The system of claim 15, wherein the formatted data objects are  
16 provided to subscriber processes via the output broadcast channel.

17  
18 18. (original): The system of claim 15, wherein the information manager is further  
19 configured to select the broadcast channel from a plurality of broadcast channels  
20 according to the identified object type.

21  
22 19. (original): The system of claim 15, wherein the information manager is further  
23 configured to apply particular formatting rules selected in accordance with the  
24 identified object type.

1  
2 20. (original): The system of claim 15, further comprising at least one client  
3 manager connected to the broadcast channel; the client manager configured to:  
4 receive a particular formatted data object; store the received formatted data object  
5 in a database associated with the client manager; receive a data differential for the  
6 particular formatted object via the broadcast data channel; and update the stored  
7 formatted data object in accordance with the received data differential.

8  
9 21. (original): The system of claim 20, wherein the client manager is further  
10 configured to provide information related to data objects stored in the associated  
11 database to a plurality of subscribing clients.

12  
13 22. (original): The system of claim 20, wherein a plurality of client managers are  
14 connected to the broadcast data channel.

15  
16 23. (original): The system of claim 15, wherein the raw data objects comprise  
17 information related to a financial product offerings.

18  
19 24. (original): A system for processing raw data streams generated by respective  
20 financial product providers, each stream carrying a plurality of raw data objects  
21 containing information related to financial product offerings and subject to  
22 periodic updates, the system comprising:

23 a translator configured to receive the raw data objects as input and generate  
24 raw events comprising a set of name-value pairs derived from data in the raw data  
25 objects;

1 a processing database having object typing and formatting rules stored  
2 therein; an offer processor connected to the processing database and configured to,  
3 in response to the receipt of a raw event: determine an object type associated with  
4 the raw event; and generate an external event containing a formatted data object  
5 derived from the contents of the received raw event in accordance with the  
6 formatting rules;

7 an object storage pool configured to store a plurality of formatted data  
8 objects therein; an offer pool manager connected to the object storage pool and  
9 configured to, upon receipt of an external event:

10 (a) determine if a prior version of the formatted data object is present  
11 in an object storage pool;

12 (b) if a prior version is present in the object storage pool: determine  
13 a data differential between the formatted data object and the prior version,  
14 update the prior version of the formatted data object to correspond with the  
15 generated formatted data object, and broadcast the data differential on an  
16 output broadcast data channel;

17 (c) otherwise, if no prior version is present in the object storage pool:  
18 provide the formatted data object to subscriber processes, and store the  
19 formatted data object in the object storage pool.

20  
21 25. (original): The system of claim 24, wherein the offer pool manager is further  
22 configured to: associate a sequence number with the formatted data object stored  
23 in the object storage pool; increment the sequence number upon updating the  
24 formatted data object; and broadcast the sequence number associated with the  
25 formatted data object with the data differential.

1  
2 26. (original): The system of claim 24, wherein the offer pool manager is  
3 configured to provide the formatted data object by broadcasting the formatted data  
4 object on the output broadcast channel.

5  
6 27. (original): The system of claim 24, wherein the offer pool manager is  
7 configured to select the broadcast channel from a plurality of broadcast channels  
8 in accordance with the object type.

9  
10 28. (original): The system of claim 24, wherein the offer processor is configured  
11 to apply specific formatting rules in accordance with the determined object type.

12  
13 29. (original): The system of claim 24, the processing database further having  
14 object validation conditions stored therein; the offer processor being further  
15 configured to validate the contents of the raw data object in accordance with  
16 selected validation conditions.

17  
18 30. (original): The system of claim 24, wherein the object typing and formatting  
19 rules are stored in a tree format; the tree having a root node and at least one  
20 descendant stream nodes, each stream node being associated with a specific raw  
21 data stream; each stream node further having at least one type leaf node  
22 descending therefrom, each type leaf node being associated with a specific object  
23 type carried by the raw data stream associated with the respective stream node;  
24 each type leaf node having at least one associated object typing rule for identifying  
25 objects of the type associated with the respective type leaf node.

1  
2 31. (original): The system of claim 30, wherein each type leaf node further has at  
3 least one associated formatting rule.

4  
5 32. (original): The system of claim 24, further comprising at least one client  
6 manager in communication with the information manager; the client manager  
7 configured to: receive a particular formatted data object from the offer pool  
8 manager; store the particular formatted data object in an associated client manager  
9 database; receive a data differential for the particular formatted object via the  
10 broadcast data channel; and update the stored formatted data object in accordance  
11 with the received data differential.

12  
13 33. (original): The system of claim 32, wherein the client manager is further  
14 configured to communicate information about the formatted data object stored in  
15 the subscriber database to a remote location.

16  
17 34. (original): The system of claim 24, wherein the raw data object comprises  
18 information related to a financial product offering.  
19  
20  
21  
22  
23  
24  
25